



Electrical specification

POWER SUPPLY	120, 220 VAC 50/60 Hz
TEMPERATURE:	
Temperature differential	±1°C
Ambient temperature	10 - 50°C
Setting temperature range	16 - 30°C (60 - 88°F)
LOAD CONTROL RELAY:	
Rating (resistive load)	
• Normal switching capacity	3 A 125 V (AC), 1 A 250 V (AC)
• Max. switching power	375 VA
• Max. switching voltage	250 V (AC)
• Max. switching current	3 A (AC)
LOAD CONTROL SWITCH:	
• Normal switching capacity (resistive load)	11 A 125 V (AC), 5.5 A 277 V (AC)

Electronic Fan-coil Thermostat

This thermostat is for fan-coil applications. It has an easy to use temperature setting knob, in both degrees Centigrade and Fahrenheit, along with an LED indicator for valve status.

Features


- ✓ Electronic control
- ✓ 3 Speed Fan
- ✓ Setting temperature range 16°C - 30°C (60°F - 88°F)
- ✓ Valve status LED indicator
- ✓ Power On/Off switch

Part Numbers

TE63L-001 3 Speed Fan, Vertical, 120 VAC
 TF63L-001 3 Speed Fan, Horizontal, 120 VAC

TE63L-002 3 Speed Fan, Vertical, 220 VAC
 TF63L-002 3 Speed Fan, Horizontal, 220 VAC

Wiring Diagram



Dimension

